

DESIGN NOTE:

- STRUCTURE MUST SUPPORT 70 Kg FOR 1 sqm OR 25 Kg FOR 1 meter (line)
- WALL SURFACE MUST BE SMOOTH
- WATERPROOFING IS REQUIRED TO BE APPLIED
- ADEQUATE LIGHTING MUST BE DESIGNED AND INSTALLED (FOR INTERIOR GREEN WALL)
- WALL MUST BE ACCESSIBLE FOR MAINTENANCE
- EMBEDDED PIPE OR CONDUIT LOCATIONS MUST BE INDICATED TO GREEN WALL
- TRIM WIDTH MAY INCREASE DEPENDING ON LOCATION
- AVOID PLACING AIR CONDITION CHANNELS DIRECTED TO THE GREEN WALL

**VERTICAL
FIELD**



www.verticalfield.com




DRAWING TITLE
GREEN WALL PANELS
CONCRETE WALL

FILE

1

TOP TRIM



DESIGN NOTE:

STRUCTURE MUST SUPPORT 70 Kg FOR 1 sqm OR 25 Kg FOR 1 meter (line)

WALL SURFACE MUST BE SMOOTH

WATERPROOFING IS REQUIRED TO BE APPLIED

ADEQUATE LIGHTING MUST BE DESIGNED AND INSTALLED (FOR INTERIOR GREEN WALL)

WALL MUST BE ACCESSIBLE FOR MAINTENANCE

EMBEDDED PIPE OR CONDUIT LOCATIONS MUST BE INDICATED TO GREEN WALL

TRIM WIDTH MAY INCREASE DEPENDING ON LOCATION

AVOID PLACING AIR CONDITION CHANNELS DIRECTED TO THE GREEN WALL



www.verticalfield.com




DRAWING TITLE
GREEN WALL PANELS
PLAN DETAIL/ CONCRETE WALL
scala 1:20

FILE

2

SIDE TRIM



DESIGN NOTE:

STRUCTURE MUST SUPPORT 70 Kg FOR 1 sqm OR 25 Kg FOR 1 meter (line)

WALL SURFACE MUST BE SMOOTH

WATERPROOFING IS REQUIRED TO BE APPLIED

ADEQUATE LIGHTING MUST BE DESIGNED AND INSTALLED (FOR INTERIOR GREEN WALL)

WALL MUST BE ACCESSIBLE FOR MAINTENANCE

EMBEDDED PIPE OR CONDUIT LOCATIONS MUST BE INDICATED TO GREEN WALL

AVOID PLACING AIR CONDITION CHANNELS DIRECTED TO THE GREEN WALL

**VERTICAL
FIELD**




www.verticalfield.com



DRAWING TITLE
GREEN WALL PANELS
SECTION DETAIL/ CONCRETE WALL
scala 1:20

FILE

3



	WALL HEIGHT: LESS THAN 4 m	WALL HEIGHT: BETWEEN 4-6 m	WALL HEIGHT: MORE THAN 6 m
GUTTER DRAIN	MIN 20 cm	MIN 25 cm	MIN 30 cm
TRENCH DRAIN	MIN 20 cm	MIN 25 cm	MIN 30 cm
GROUND DRAIN	MIN 20 cm	MIN 25 cm	MIN 30 cm
CURB DRAIN	MIN 20 cm	MIN 25 cm	MIN 30 cm

MIN WIDTH MAY CHANGE DEPENDING ON PLANT SELECTION
 WATERPROOFING IN TRENCH AND CURB DRAIN ARE REQUIRED
 GREEN WALL BELOW MUST TO BE CLEAR FOR MAINTENANCE




www.verticalfield.com



DRAWING TITLE
GREEN WALL PANELS
 SECTION DETAIL/ TRENCH DRAIN
 scala 1:20

FILE



	WALL HEIGHT: LESS THAN 4 m	WALL HEIGHT: MORE THAN 4 m
GUTTER DRAIN	MIN 15 cm	MIN 18 cm

MIN WIDTH MAY CHANGE DEPENDING ON PLANT SELECTION
 GREEN WALL BELOW MUST TO BE CLEAR FOR MAINTENANCE



VERTICAL FIELD www.verticalfield.com





DRAWING TITLE
GREEN WALL PANELS
 SECTION DETAIL/ GUTTER DRAIN
 scala 1:20


OPTION 1

MOUNTING STRIPS FOR FRAMES STRUCTURE
HEIGHT 10 mm LENGTH 4000 mm

SIDE TRIM





ASSONOMETRIC VIEW




OPTION 2

MOUNTING STRIPS FOR CONCRETE WALL
HEIGHT 50 mm LENGTH 4000 mm

SIDE TRIM



ASSONOMETRIC VIEW



VERTICAL FIELD www.verticalfield.com



DRAWING TITLE
GREEN WALL PANELS
SECTION DETAIL/ JUNCTION
scala 1:5

FILE